

Message

From: Keating, Jim [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=BD5FBA58AC5E4EFD9F96C1F37EBBE199-JKEATING]
Sent: 10/25/2019 4:58:29 PM
To: Fleisig, Erica [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=57317ce4c3234afe86380beab9c70bd9-EFleisig]
Subject: Re: For Jim: OR and MI writeup

Thanks Erica,

Ex. 6 Personal Privacy (PP)

Ex. 6 Personal Privacy (PP) my new plan is to work a few hours on Monday. I will get back to you then.

Sent from my iPhone

On Oct 24, 2019, at 8:55 PM, Fleisig, Erica <Fleisig.Erica@epa.gov> wrote:

Jim,

Ex. 5 AC/DP

Ex. 5 AC/DP

From: Johnson, Aaron <Johnson.AaronK@epa.gov>
Sent: Thursday, September 26, 2019 10:21 AM
To: Soo-Hoo, Mimi <Soo-Hoo.Mimi@epa.gov>; Fleisig, Erica <Fleisig.Erica@epa.gov>; Vican, Manjali <Vican.Manjali@epa.gov>; Dreyfus, Melissa G. <Dreyfus.Melissa@epa.gov>; Keating, Jim <Keating.Jim@epa.gov>
Cc: Pfeifer, David <pfeifer.david@epa.gov>; Bauer, Candice <bauer.candice@epa.gov>; Prichard, Gary <prichard.gary@epa.gov>
Subject: MI Hg MDV Factor 3

Hi all,

I've got another variance riddle for you all.

Ex. 5 AC/DP

Ex. 5 AC/DP

Ex. 5 AC/DP

Ex. 5 AC/DP

Thoughts or major objections?

Aaron

Aaron Johnson
Water Quality Standards Specialist
USEPA | Region 5
312-886-6845

<OR and MI Mercury MDV Options_10 24 19.docx>